

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name		VC-MET001	Metaux Castle								
PO27134	3		M303B1.000X1.000 f	f	2/27/2015	2/13/2015	12.0000	\$15.01	0.0000	0	\$180.12
CAD	No		303 BAR 1" X 1"	f	12.0000	DCUSER		\$180.12	0.0000	0	
			m131553								
	5		71401-45		2/6/2015	2/13/2015	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	DCUSER		\$0.00	0.0000	0	
			m131553								
Total Received Quantity:											13.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$180.12
Total Balance Due Quantity:											0.0000

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2497743

Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
11-FEB-2015	ORIGIN	Prepaid	MANITOULIN	2497743-2

Shipment Details		Final Destination Branch - MON
------------------	--	--------------------------------

Order No	Line No	Item No	Description
3731001	1	4885	1.0000.SQ.303.STAINLESS.CD.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582
Purchase Order No	Part Number	Ordered Qty	Invoice Qty
27134		12.00 FT	10.9167 FT

Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY


ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S

FORWARD COPY OF P/S TO COLLEEN (MONTREAL)

Email P/s and certs to: clavoie@dartaero.com

END USER: DART AEROSPACE

END USE: COMMERCIAL AIRCRAFT PARTS

Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
119948701	VALBRUNA CORPORATION	 261867		1		131.0000	37.1167

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

11 Date: 2015
Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 11-FEB-2015 10:46:43 AM

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number: 0039 (0) 444968211

Cliente / Besteller/Purchaser/Clien
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Usine producer

Avviso di Spedizione: D-VI14021801
Lieferungs/Packing list/L.

Ordine nr: 39295 276235 CASTLE
Bestell./Your order/Commande

Certificato nr: MEST539894/2014/
Prüfung/Test/Essai

Conferma ordine nr: EI14003841
Werkz./Our Order/Nr.

Marchio di Fabbrica:
Zeichen des Unternehmens
Trade mark
Style de l'usine productrice



Stato di fornitura: Hot rolled - Annealed Cold Drawn
Lieferzustand/Delivery state/État de livraison

Tipo di Elaborazione: E+AOD
Erweiterungs/Erweiterung process/Mode d'élaboration

Punzone del Collaudatore:
Stempel des Werkstoffverständigen
Inspection stamp/Prinzipien de l'inspecteur



Spezifikation:
Anforderungen / Requirements / Exigences
3303-22 31 303 A,CF
ASTM A582 2012 S30300 A

AISI 303

AMS 5840 U TYPE1 A

Qualità: T-303 #4885
Werkstoff/Grade/Qualité

Marca: VPAU188Z VALPLUS
Tolleranza: ASTM A484-14 TABLE 8
Tolerance/Jahtoleranz/Tolérance

Handwritten: DAS 14 9-89 150219 IAC 4885

Pos. nr. Pos. nr. Item nr. Nr. de poste	Objetto Geometrie Product description Description de produit	Dimensioni - in Abmessungen Dimensions Dimensions	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0010	Square	1,0000 x 1,0000	128 / 148	261867		2.284	314404300

TEST ALLO STATO DI FORNITURA Test on delivery condition Prüfung auf Lieferbereitem product test a l'état de livraison Prueba sobre el material así como entregado									
TEST	Provetta/Probes Spezialprüfkörper Longitudinal Spec. Stabs Probe, Stabs specimen, Tensile Long. spec. mm	°F	Posti Gage Number Messpunkt n	Snervamento Streckgrenze Yield Stress Limit elastic Rp 0.2% k.s.i.	Snervamento Streckgrenze Yield Stress Limit elastic k.s.i.	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Alungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Querschnitts- reduktion Reduction of area Strain %	Resilienza Härteprüfung Impact Value Resilience HB
Valori richiesti 1 Anforderungen/Required values Valeurs requises		min max							
A	12,5	68	L	71		101	42	52	140 255

1) L=lunghezza/length, T=temperatura/temperature, Q=temperatura/temperature

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Heat	min max	0,150	1,00	2,00	17,00 19,00	1,00	1,00	8,00 10,00	0,150	0,15	-	-	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %							
261867	0,050	0,44	1,76	17,22	0,37	0,49	8,01	0,030	0,30							

Material is OFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
die gesamten Anforderungen sind i. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été fourni conforme aux exigences

Controllo antimescolanza: OK
Verunreinigungsfrei: unkontaminiert/klar durchgewischt
Antimixing testing performed: OK
Controlli antimescolanza: OK

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Abmessung: ohne Beanstandung
Visual inspection and dimensional check satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, s. 4.3 by TÜV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 27/06/14 VCC008 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkstoffverständiger / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 1
--	--	-----------------

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7303 1.00X1.00
 RECEIVED BY: Sonia P
 DATE: 15/02/13
 P/O#: 27134
 QUANTITY ORDERED: 12
 THICKNESS ORDERED: 1.00X1.00
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 11
 THICKNESS RECEIVED: 1.00X1.00
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
INCORRECT FINISH	Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="radio"/> N	
INCORRECT MATERIAL	Y <input checked="" type="radio"/> N	
INCORRECT THICKNESS	Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>15/02/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO27134

Purchase Order Date 1/20/2015

PO Print Date 1/20/2015

Page Number 2 of 3

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 9575

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 10

CAD

FCA - (Free Carrier)

2	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	2/6/2015 Yes 2/6/2015	12.00 f	✓	\$62.72	\$752.64
---	-------------------	--------------------------	-----------------------------	------------	---	---------	----------

MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643
GRAIN MUST BE ALONG LENGTH OF BAR
MINIMUM YIELD TENSILE STRENGTH = 100KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 150KSI

SP15-02-3

Line Total: \$752.64

3	M303B1.000X1.000	303 BAR 1" X 1"	2/27/2015 Yes 2/27/2015	12.00 f	✓	\$19.08	\$228.96
---	------------------	-----------------	-------------------------------	------------	---	---------	----------

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

SP15-02-13

Line Total: \$228.96

Note:

1/20/2015